



## **Targa 53 GT Standard Specification**

### **Engine**

2 x Volvo Penta D11-675 EVC (performance estimate 30 knots)  
2 x Volvo Penta D11-725 EVC (performance estimate 32 knots)

### **Quick Spec**

Length overall (inc. pulpit): 55ft 6in (16.92m)  
Length overall (ex. pulpit): 53ft 6in (16.32m)  
Beam: 14ft 10in (4.52m)  
Number of berths: 6 - 7  
Draught: 3ft 11in (1.20m)  
Height above waterline: 15ft 1in (4.6m)  
Transport height: 15ft 11in (4.87m)  
Dry weight (approx.): 19,500kg  
Fuel capacity: 2412L  
Water capacity: 550L

### **Deck**

Anchor chain locker  
Anchor winch (electric)  
Anchor winch controls  
Bathing platform ladder  
Calibrated anchor chain (65 metres, 35 fathoms)  
Ensign and staff  
Fender set  
Foredeck drinks holders  
Foredeck glazing  
Foredeck lockers  
Fuel fillers  
Full set of IMCO navigation lights  
Handrail  
Hot and cold water transom shower  
Moulded non-slip deck surface  
Remote control searchlight  
Riding light  
Self-stowing Delta® anchor  
Stainless steel aft fairlead(s)  
Stainless steel bow fairlead(s)  
Stainless steel bow, cockpit, stern and twin spring cleats  
Stainless steel gunwale with rubber inserts  
Stainless steel pulpit  
Teak laid bathing platform  
Twin horns  
Water filler(s)  
Windscreen washers  
Windscreen wipers

**T53 GT Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**



## Helm Position

- 12V socket
- Adjustable/tilt steering wheel
- Bilge pump switches with integral operating warning lights and audible alarms
- Black mesh windscreen covers
- Bow thruster controls
- Controls for engine bay fire extinguisher system
- Drinks holders
- Electronic single-lever throttle and gear controls for port and starboard engines
- Fuel gauges
- Full engine instrumentation including; tachometers, temperature gauges, audible alarms and engine hour meters
- Garmin GHP 20 autopilot
- Garmin GMI 20 digital multi-function instrument system with colour display
- Garmin VHF 300i marine radio
- Helm position indicator
- High speed magnetic compass
- Opening windows
- Powered steering
- Red night-light illumination to helm
- Remote anchor winch controls
- Searchlight controls
- Settee opposite helm with table
- Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans
- Trim tab controls
- Twin helm seats

## Electrical Systems

- 230 - 240V 50Hz
- All 240V, 24V and 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
- Generator 9.5kW
- Heavy duty circuit breakers
- Isolating switches to all batteries

### 12 Volt

- Voltage dropper from domestic batteries

### 24 Volt

- Batteries - 2 x heavy duty batteries exclusively for port engine starting
- Batteries - 2 x heavy duty batteries exclusively for starboard engine starting
- Batteries - 4 x heavy duty batteries wired in parallel supplying domestic services and port engine starting
- Circuit breaker for anchor winch
- Emergency battery coupling system permits each engine to start from opposite battery bank
- Regulated battery charger

### 240 Volt

- Polarity check and earth leakage protection system

**T53 GT Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**



- Power points throughout the boat (fed from shore power or generator)
- Regulated 75amp charger for domestic batteries
- Shore power supply
- Spare circuit breakers for optional equipment

### **Cockpit**

- 12V heavy duty weatherproof socket
- Access to lazarette
- Access to side deck
- Bathing platform lights
- Boat hook
- Deck level lighting
- Drinks holders
- Engine bay access hatch with stainless steel gas struts
- 'J' shaped cockpit seating with adjustable backrest to make sunpad
- Life raft stowage
- Manual bilge pump(s)
- Mooring warps
- Port side access
- Single level floor from cockpit to saloon
- Teak laid floor throughout self-draining cockpit
- Teak table with drinks holder
- Transom gate
- White vinyl cover

### **Interior Furnishings**

Choose from our interiors collections - Amalfi, Capri, Hamptons or St Tropez

### **Hullform and Construction**

- Antifouling protection to hull
- Bow thruster
- Deep 'V' forward 12.5° deadrise aft
- Design, layout and detailing by the Fairline Design Team.
- Feature windows with opening portholes
- Full length moulded spray deflectors
- Hull/deck joint bolted and bonded
- Integrally moulded engine bearers
- Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat
- Resin infused cored hull and liner with hand-laid deck and components
- The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation

### **Saloon**

- 40" flatscreen TV with Fusion AV750 DVD/Radio and wireless connectivity
- Coffee table
- Electric hardtop with pneumatic seal and glazing
- FAIRLINE EDITION durable tumblers (set of 6)
- Overhead lighting
- Random oak floor

**T53 GT Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**



Sideboard with stowage  
Sliding patio door to cockpit  
Sofas to port and starboard with stowage

#### **Galley**

Avonite work surface  
Chopping board to sink infill  
Crockery stowage  
Extractor fan  
FAIRLINE EDITION durable dinner service, ideal for outdoor use, white melamine with Fairline Shield (24-piece, 6 place settings)  
Fire extinguisher  
First aid kit  
Full height fridge/freezer  
Induction hob  
Integrated waste bin  
Microwave combi oven  
Overhead lighting  
Random oak floor  
Sink with hot and cold mixer tap  
Stowage cupboards and drawers

#### **Lobby**

Access to electrical control panel  
Access to master cabin, two guest cabins and day head  
Handrail  
Lighting to stair risers  
Space for optional domestic appliance

#### **Accommodation**

##### **Master Stateroom**

Aluminium venetian blinds  
Double bed with storage drawers  
Feature windows with opening portholes  
Mirror  
Overhead feature lighting  
Reading lights  
Sofa  
Vanity unit with stool  
Wardrobe

##### **Master En Suite**

Automatic shower tray pump-out system  
Avonite vanity unit locker and basin with hot and cold pressurised water  
Blinds  
Electric silent-flush freshwater toilet  
Extractor fan

**T53 G7 Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**



- Full set of bathroom fittings
- Full size shower with seat and hinged door
- Large hull window with single opening port hole
- Mirror
- Mirrored lockers
- Overhead lighting
- Random oak floor

#### **Forward Guest Cabin**

- Aluminium venetian blinds
- Bedside table
- Double bed with storage drawers
- Escape hatch to foredeck
- Feature windows with single opening porthole
- Overhead glazing with blind
- Overhead lighting
- Reading lights
- Wardrobe with mirrored doors

#### **Forward Cabin Ensuite/Day Head**

- Automatic shower tray pump-out system
- Blinds
- Day Access
- Electric silent-flush freshwater toilet
- Extractor fan
- Full set of bathroom fittings
- Full standing height shower with hinged door
- Mirror
- Mirrored lockers
- Overhead lighting
- Random oak floor
- Vanity unit locker and basin with hot and cold pressurised water

#### **Port Cabin**

- Aluminium venetian blinds
- Bedside table
- Feature windows with single opening porthole
- Full length berths x 2
- Mirror
- Overhead lighting
- Reading lights
- Wardrobe

#### **Lazarette**

- Access through hatch in cockpit seating

#### **Aft Cabin (Optional)**

- Access through hatch in cockpit seating
- Electric silent-flush freshwater toilet

**T53 GT Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**



- Feature window with blind
- Full length berth
- Hanging locker
- Mirror
- Opening porthole
- Overhead lighting
- Power point(s)
- Random oak floor
- Sink with hot and cold mixer tap

#### **Engines and Sterngear**

- Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override
- Automatic engine bay fire extinguisher system
- Dripless shaft seals
- Electric engine bay fan(s)
- Electro-hydraulic trim tabs with cathodic protection
- Engine air intakes
- Engine bay lights
- Engine room soundproofing
- Exhaust overheat warning system
- High capacity emergency manual bilge pump system with dedicated valves
- Manganese bronze 'P' brackets
- Manganese bronze propellers contra-rotating
- Sea cocks on all inlets/outlets below waterline
- Stainless steel alloy shafts

#### **Fuel System**

- Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank
- Emergency fuel shut-off valves accessible via cable-operated remote control
- High capacity water separators and fuel filters
- Individual fillers and vents to port and starboard
- Twin fuel tanks

#### **Freshwater System**

- Automatic, pressurised supply
- Calorifier hot water system
- Water tank(s)

#### **Waste Water System**

- Holding tank (170L) with electric macerator pump-out

#### **U.S.A. specifications in addition to or in lieu of those listed above**

- Voltage - 2 x 110V (220V) 60Hz

**T53 GT Standard Specification: 04/09/2015: (We reserve the right to change the standard specification without notice or liability)**